

SAFETY DATA SHEET Shades Professional Size Marine Breeze Aerosol [400ml x 12]

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Shades Professional Size Marine Breeze Aerosol [400ml x 12]

PRODUCT NO. 734600
APPLICATION Air freshener

SUPPLIER Jeyes Professional Division Ltd

180-181 Bradkirk Place

Walton Summit Preston Lancashire PR5 8AJ

T 01772 318318 F 01772 318319 technical@jeyes.co.uk

EMERGENCY TELEPHONE 0800 197 5599

CONTAINER SIZE 400 ml

2 HAZARDS IDENTIFICATION

Extremely flammable.

CLASSIFICATION F+:R12.

PHYSICAL AND CHEMICAL HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

HUMAN HEALTH

May cause minor irritation on eye contact. Vapours/aerosol spray may irritate the respiratory system. In high concentrations, vapours and aerosol mists have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
PROPELLANT [BUTANE / PROPANE MIXTURE]			30 - < 50%	F+;R12.
PROPAN-2-OL	200-661-7	67-63-0	1 - < 2.5%	F;R11 Xi;R36 R67

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

INGESTION

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!

SKIN CONTACT

Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media appropriate for surrounding materials. Cool aerosol containers exposed to heat with water spray and remove container, if no risk is involved.

UNUSUAL FIRE & EXPLOSION HAZARDS

Aerosol cans may explode in a fire.

Shades Professional Size Marine Breeze Aerosol [400ml x 12]

SPECIFIC HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid contact with skin and eyes. For personal protection, see section 8.

SPILL CLEAN UP METHODS

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Collect spillage with shovel, broom or the like and reuse, if possible.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Keep away from heat, sparks and open flame.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves.

HYGIENE MEASURES

Wash hands after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Aerosol
ODOUR Marine

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use. Avoid: Heat, sparks, flames.

CONDITIONS TO AVOID

Avoid exposing aerosol containers to high temperatures or direct sunlight.

11 TOXICOLOGICAL INFORMATION

INHALATION

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

SKIN CONTACT

Prolonged contact may cause redness and irritation.

EYE CONTACT

May cause temporary eye irritation.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be toxic to aquatic organisms.

13 DISPOSAL CONSIDERATIONS

Shades Professional Size Marine Breeze Aerosol [400ml x 12]

GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL LIMITED QUANTITIES

UK ROAD CLASS 2.1

PROPER SHIPPING NAME AEROSOLS, FLAMMABLE

UN NO. ROAD ADR CLASS NO. 2.1 ADR CLASS Class 2: Gases ADR LABEL NO. 2.1 RID CLASS NO. 2.1 UN NO. SEA 1950 2.1 MARINE POLLUTANT IMDG CLASS No. UN NO. AIR AIR CLASS 1950 21

15 REGULATORY INFORMATION

LABELLING



Extremely Flammable

RISK PHRASES

R12 Extremely flammable.

SAFETY PHRASES

A1 Pressurised container: protect from sunlight and do not expose to temperatures

exceeding 50°C. Do not pierce or burn, even after use.

A2 Do not spray on a naked flame or any incandescent material.

S2 Keep out of the reach of children

S16 Keep away from sources of ignition - No smoking.

S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC.

System of specific information relating to Dangerous Preparations. 2001/58/EC.

NATIONAL REGULATIONS

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

16 OTHER INFORMATION

GENERAL INFORMATION

- FOR PROFESSIONAL USE ONLY -

NOTE: THE RISK PHRASES SHOWN BELOW RELATE TO THE INDIVIDUAL RAW MATERIALS IN THE PRODUCT (from section 3), AND NOT THE CLASSIFICATION OF THE PRODUCT ITSELF (this can be found in section 15)

REVISION COMMENTS

Change to section 1

ISSUED BY

Michelle Smith

REVISION DATE 16/09/2008

REV. NO./REPL. SDS GENERATED 2 - 20/09/2006

Shades Professional Size Marine Breeze Aerosol [400ml x 12]

RISK PHRASES IN FULL

R11 Highly flammable.
R12 Extremely flammable.
R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.