

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 15/06/2015 Revision date: 05/06/2015 : Version: 10.0

SCREEN WASH M015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : SCREEN WASH

Product code : M015

Type of product : Technical product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Screenwash additive

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

SELDEN RESEARCH LIMITED STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM

Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

#### 1.4. Emergency telephone number

Emergency number : Mon to Fri 8.30am to 5.00pm - 01298 26226

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Warning

Hazard statements (CLP) : H226 - Flammable liquid and vapour

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical, lighting, ventilating equipment

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower

P370+P378 - In case of fire: Use foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substance

Not applicable

Document generated @ 15/06/2015 19:49:14 Page 1 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methanol	(CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00- X	< 1	F; R11 T; R23/24/25 T; R39/23/24/25	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
N,N-dimethyldecylamine N-oxide	(CAS No) 2605-79-0 (EC no) 220-020-5	<1	Xi; R41 Xi; R38 N; R50	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes eye irritation.

Symptoms/injuries after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

# 5.3. Advice for firefighters

No additional information available

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

# 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Keep away from sources of ignition - No smoking.

Document generated @ 15/06/2015 19:49:14 Page 2 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hygiene measures : Do not eat, drink or smoke when using this product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures. Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.

Special rules on packaging : Keep only in original container.

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

methanol (67-56-1)			
Denmark	Local name	Methanol	
Denmark	Grænseværdie (langvarig) (mg/m³)	260 mg/m³	
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm	
Denmark	Anmærkninger (DK)	EH	
Ireland	Local name	Methanol	
Ireland	OEL (8 hours ref) (mg/m³)	260 mg/m <sup>3</sup>	
Ireland	OEL (8 hours ref) (ppm)	200 ppm	
Ireland	Notes (IE)	Sk, IOELV	
Netherlands	Local name	Methanol	
Netherlands	Grenswaarde TGG 8H (mg/m³)	133 mg/m³	
Netherlands	Remark (MAC)	Н	
United Kingdom	Local name	Methanol	
United Kingdom	WEL TWA (mg/m³)	266 mg/m³	
United Kingdom	WEL TWA (ppm)	200 ppm	
United Kingdom	WEL STEL (mg/m³)	333 mg/m³	
United Kingdom	WEL STEL (ppm)	250 ppm	
United Kingdom	Remark (WEL)	Sk	

## 8.2. Exposure controls

Materials for protective clothing : Not required for normal conditions of use

Hand protection : In case of repeated or prolonged contact wear gloves

Eye protection : Not required for normal conditions of use
Skin and body protection : Not required for normal conditions of use
Respiratory protection : Not required for normal conditions of use

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : Blue.
Odour : characteristic.
Odour threshold : No data available

pH : 10

Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point :  $\approx 37 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available

Document generated @ 15/06/2015 19:49:14 Page 3 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

: No data available Relative vapour density at 20 °C

Relative density : 0.97

Solubility : No data available Log Pow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. **Chemical stability**

Stable under normal conditions.

#### Possibility of hazardous reactions

No additional information available

#### **Conditions to avoid**

No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

metals.

#### 10.6. **Hazardous decomposition products**

No additional information available

# SECTION 11: Toxicological information

#### Information on toxicological effects 11.1.

Acute toxicity : Not classified Skin corrosion/irritation : Not classified

pH: 10

Serious eye damage/irritation : Not classified

pH: 10

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure)

: Not classified Aspiration hazard

# **SECTION 12: Ecological information**

# **Toxicity**

No additional information available

## Persistence and degradability

No additional information available

#### 12.3. **Bioaccumulative potential**

No additional information available

#### **Mobility in soil**

No additional information available

## Results of PBT and vPvB assessment

No additional information available

Document generated @ 15/06/2015 19:49:14 Page 4 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 12.6. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

No additional information available

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1170 UN-No. (IMDG) : 1170 UN-No. (IATA) : 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (IATA) : ETHANOL SOLUTION

Transport document description (ADR) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)
Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Document generated @ 15/06/2015 19:49:14

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

## 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation

(ADR)

Hazard identification number (Kemler No.) : 30

Orange plates

30 1170

: TP1

: S2

Tunnel restriction code (ADR) : D/E EAC code : •2YE

#### - Transport by sea

Special provisions (IMDG) : 144, 223 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A

# - Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IBC code : Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Document generated @ 15/06/2015 19:49:14

Page 6 of 7

# Safety Data Sheet

according to Regulation (EC) No. 453/2010

#### **National regulations** 15.1.2.

#### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS,

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

## Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

## **Chemical safety assessment**

No additional information available

# SECTION 16: Other information

## Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H331	Toxic if inhaled	
H370	Causes damage to organs	
H400	Very toxic to aquatic life	

#### SDS FU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Document generated @ 15/06/2015 19:49:14 Page 7 of 7