

GOJO® Freshberry Foam Handwash

Version 1.2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014		
SECTION 1. IDENTIFICATION					
Product name			: GOJO® Freshberry Foam Handwash code: 09-8716-04		
Mai	nufacturer or supplier's	details			
	••	: GOJO Industrie	s, Inc.		
Add	lress	: One GOJO Plaz Akron OH 4431			
Tele	ephone	: 1 (330) 255-600	0		
Em	ergency telephone	: 1-800-424-9300	1-800-424-9300 CHEMTREC		
Rec	commended use of the	hemical and restric	tions on use		
Rec	commended use	: Skin-care			
Restrictions on use		consumers and foreseeable use specifically defin exempt from the While this mate contains valuab proper use of th as well as unus spills. This SDS employees and intended-use gu	al care or cosmetic product that is safe for other users under normal and reasonably a. Cosmetics and consumer products, ned by regulations around the world, are e requirement of an SDS for the consumer. rial is not considered hazardous, this SDS le information critical to the safe handling and e product for industrial workplace conditions ual and unintended exposures such as large should be retained and available for other users of this product. For specific uidance, please refer to the information package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A		
GHS Label element Hazard pictograms			
Signal Word	: Warning		
Hazard Statements	: H319 Causes serious eye irritation.		
Precautionary Statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. 		



ersion .2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014
		for several mine to do. Continue	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/
Othe	r hazards		
None	e known.		

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 	r
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.	
Notes to physician	: Treat symptomatically and supportively.	



Version	Revision Date:	MSDS Number:	Date of last issue: 12/18/2014
1.2	02/16/2015	30929-00003	Date of first issue: 11/20/2014

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Sulfur oxides Carbon oxides Metal oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to



Version 1.2	Revision Date: 02/16/2015		SDS Number: 929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014	
			determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.		
SECTIO	N 7. HANDLING AND ST	OR	AGE		
Teo	chnical measures	:		measures under EXPOSURE SONAL PROTECTION section.	
Local/Total ventilation		:	Use only with adequate ventilation.		
Advice on safe handling		:	Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.		
Со	nditions for safe storage	ge : Keep in properly labeled containers. Store in accordance with the particular national regulation			
Materials to avoid : Do not store with the following product types: Strong oxidizing agents					

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures :

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where



Version 1.2	Revision Date: 02/16/2015		SDS Number: 929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014
		concentrations are above recommended limits or are unknown, appropriate respiratory protection should be Follow OSHA respirator regulations (29 CFR 1910.13 use NIOSH/MSHA approved respirators. Protection p by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressur supplied respirator if there is any potential for uncontr release, exposure levels are unknown, or any other circumstance where air purifying respirators may not adequate protection.		riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide
	Hand protection Material		Impervious gloves	5
Re	Remarks		: Choose gloves to protect hands against chemicals depend on the concentration specific to place of work. Breakthroug time is not determined for the product. Change gloves ofte For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.	
Eyeı	protection	: Wear the following personal protective equipment: Safety goggles		g personal protective equipment:
Skin	and body protection	 Select appropriate protective clothing based on chemi resistance data and an assessment of the local expos potential. Skin contact must be avoided by using impervious pro clothing (gloves, aprons, boots, etc). 		nd an assessment of the local exposure t be avoided by using impervious protective
Hygiene measures: Ensure that eye flushing systems and safety s located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.		ne working place. ot eat, drink or smoke.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, green
Odor	: fruity
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	14.9 °C
Initial boiling point and boiling	: No data available



Vers 1.2	sion	Revision Date: 02/16/2015		DS Number: 029-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014		
	range						
	Flash p	point	:	> 100 °C			
	Evapor	ation rate	: No data available				
	Flamm	ability (solid, gas)	:	Not applicable			
	Upper	explosion limit	:	No data available	9		
	Lower	explosion limit	:	No data available	9		
	Vapor	pressure	:	No data available	9		
	Relative vapor density : No data available		9				
	Density	/	:	1.0 g/cm3			
	Solubil Wate	ity(ies) er solubility	:	soluble			
	Partitio octano	n coefficient: n- I/water	:	Not applicable			
	Autoigr	nition temperature	:	No data available	9		
	Decom	position temperature	:	The substance o	r mixture is not classified self-reactive.		
	Viscosi Visc	ity osity, kinematic	:	10 - 20 mm2/s (2	20 °C)		
	Explos	ive properties	:	Not explosive			
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.



ersion 2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014
ECTION	11. TOXICOLOGICA		
Infori	nation on likely rou	tes of exposure	
Inhala			
Inges	contact tion		
•	ontact		
Acute	e toxicity		
Not c	assified based on av	ailable information.	
Ingre	dients:		
		lated, sulfates, sodiur	
Acute	oral toxicity	Assessment: T	2,000 mg/kg he substance or mixture has no acute oral
		toxicity	
	amidopropyl betain		
Acute	oral toxicity	: LD50: > 5,000 I	mg/kg • Test Guideline 401
			ed on data from similar materials
. .			
Acute	dermal toxicity	: LD50 (Rat): > 2 Method: OECD	2,000 mg/kg I Test Guideline 402
		Assessment: T	he substance or mixture has no acute dermal
		toxicity Remarks: Base	ed on data from similar materials
		Remarks. Dase	
Glyce	erine: oral toxicity	: LD50 (Rat): > 5	
Acute		. LD30 (Rai). > 3	,,000 mg/kg
Skin	corrosion/irritation		
Not cl	assified based on av	ailable information.	
Prod	uct:		
Resu	t: No skin irritation		
	dients:		
	t: Skin irritation	lated, sulfates, sodiur	n saits:
Glyce Resul	t: No skin irritation		
Serio	us eye damage/eye	irritation	
Cause	es serious eye irritatio	on.	
Prod	uct:		
Resu	t: Irritation to eyes, re	eversing within 21 days	
Incre	dianta		
ingre	dients:	lated, sulfates, sodiur	



Version	Revision Date:	MSDS Number:
1.2	02/16/2015	30929-00003

Date of last issue: 12/18/2014 Date of first issue: 11/20/2014

Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Glycerine:

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Glycerine: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Glycerine:



ersion .2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014	
Applio Expos	es: Rat cation Route: Ingestion sure time: 2 Years lt: negative			
IARC	:	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
OSH	A	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
-	oductive toxicity lassified based on availa	ble information.		
Ingre	<u>dients:</u>			
	amidopropyl betaine: ts on fetal development			
Glyce Effect	erine: ts on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative		
Effect	ts on fetal development	-		
	F-single exposure lassified based on availa	ble information.		
STOT	-repeated exposure			
	lassified based on availa	ble information.		
Repe	ated dose toxicity			
Coco Speci	dients: amidopropyl betaine: es: Rat =1 : 250 mg/kg			



Version 1.2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014			
	Method: OECD Test Guideline 408 Remarks: Based on data from similar materials					
Speci NOAI LOAE Applic Expos	Glycerine: Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation					
•	r ation toxicity lassified based on avai	lable information.				
SECTION	12. ECOLOGICAL INI	FORMATION				
Ecoto	oxicity					
Coco	dients: pamidopropyl betaine ity to fish	: LC50: > 1 - 10 Exposure time Method: ISO 7	e: 96 h			
Toxic	ity to bacteria		ng/l D Test Guideline 209 ed on data from similar materials			

	Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Glycerine: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h

Persistence and degradability

Product:

Biodegradability	: Result: Biodegradable

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:				
Biodegradability	:	Result: Readily biodegradable.		
Cocoamidopropyl betaine:				

Biodegradability : Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d



Version 1.2	Revision Date: 02/16/2015	MSDS Number: 30929-00003	Date of last issue: 12/18/2014 Date of first issue: 11/20/2014			
) Test Guideline 301 ed on data from similar materials			
Glycerine: Biodegradability		: Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d				
Bioac	cumulative potential					
Ingre	dients:					
Glycerine: Partition coefficient: n- octanol/water		: log Pow: -1.76				
Mobil	ity in soil					
No da	ta available					
Other	adverse effects					
No da	ta available					
SECTION	13. DISPOSAL CONS	DERATIONS				

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good



Version 1.2	Revisio 02/16/2		MSDS Number: 30929-00003		ast issue: 12/18/2 rst issue: 11/20/2	• • •			
SECTION 15. REGULATORY INFORMATION									
EPCRA - Emergency Planning and Community Right-to-Know									
CERCLA Reportable Quantity This material does not contain any components with a CERCLA RQ.									
SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.									
SAF	SARA 311/312 Hazards		: Acute Health Haz	Acute Health Hazard					
SA	SARA 302 :			No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.					
SAF	SARA 313 :		known CAS num	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.					
US	State Regu	lations							
Pennsylvania Right To Know			,						
		Water Glycerine			7732-18-5 56-81-5	90 - 100 % 1 - 5 %			
New Jersey Right To Know									
		Water			7732-18-5	90 - 100 %			
		Alcohols, C10- sodium salts	-16, ethoxylated, sulf	ates,	68585-34-2	1 - 5 %			
	Cocoamidopropy Glycerine		opyl betaine		61789-40-0	1 - 5 %			
					56-81-5	1 - 5 %			
California Prop 65		State of California	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.						


AICS


: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)







HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

OSHA Z-1 OSHA Z-1 / TWA		USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/16/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8