

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 16/01/2018 Version: 2.0. For changes from version 1.0, please see section 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture

Trade name : CHLORINE SANITISING TABLETS

Product code : 72-XCST

UFI Number : UAA8-U0J0-000H-T2UN

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : Disinfectant-cleaner

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Bio-Productions 72 Victoria Road

Burgess Hill - United Kingdom

T 0044 (0) 1444 244000 - F 0044 (0) 1444 244999

technical@bio-productions.com - www.bio-productions.com

1.4. Emergency telephone number

Emergency number : 0044 (0) 1444 244000 (office hours only)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital, Guy's & St Thomas' Hospital Trust	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 H319 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400 Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause respiratory irritation. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 GHS09

Signal word (CLP) : Warning

: Troclosene Sodium Hazardous ingredients

Hazard statements (CLP) H302 - Harmful if swallowed

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H410 - Very toxic to aquatic life with long lasting effects

16/01/2018 1/9 GB - en

Safety Data Sheet

according to Regulation (EU) 2015/830

Precautionary statements (CLP) : P102 - Keep out of reach of children

P261 - Avoid breathing dust, fume, gas, mist, vapours, spray P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P280 - Wear protective gloves, protective clothing, eye protection, face protection P301+P312 - IF SWALLOWED: Call a POISON CENTER, a doctor if you feel unwell P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER, a doctor if you feel unwell

P330 - Rinse mouth

P337+P313 - If eye irritation persists: Get medical advice/attention

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/container to an approved waste disposal plant

EUH-statements : EUH031 - Contact with acids liberates toxic gas

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2 Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
troclosene sodium (Note G)	(CAS No) 2893-78-9 (EC no) 220-767-7 (EC index no) 613-030-00-X	30 - 80	Ox. Sol. 2, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
adipic acid	(CAS No) 124-04-9 (EC no) 204-673-3 (EC index no) 607-144-00-9 (REACH-no) 01-2119457561-38	10 - 30	Eye Irrit. 2, H319
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	1 - 5	Eye Irrit. 2, H319

Note G: This substance may be marketed in an explosive form in which case it must be evaluated using the appropriate test methods. The classification and labelling provided shall reflect the explosive properties.

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First aid measures general : If you feel unwell, seek medical advice (show the label where possible)

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First aid advice Ingestion : Do not give anything by mouth to an unconscious person. Wash mouth out with water, then

drink pleanty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

16/01/2018 GB - en 2/9

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire. Water spray. Dry powder. Foam.

Special hazards arising from the substance or mixture

Hazardous decomposition products in case of

: Toxic fumes may be released.

Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with

skin and eyes.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

For containment : Collect spillage.

: Recover mechanically the product. Methods for cleaning up

Other information : Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

16/01/2018 GB - en 3/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : White solid.

Colour : white.

Odour : characteristic

Odour : characteristic.
Odour threshold : No data available pH : No data available pH solution : 1 (4 - 6) %
Relative evaporation rate (butyl acetate=1) : No data available

Melting point : No data available Freezing point : Not applicable Boiling point : No data available : Not applicable Flash point Not applicable Auto-ignition temperature : No data available Decomposition temperature Flammability (solid, gas) : Non flammable : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : Not applicable Solubility : Soluble in water. : No data available Log Pow Not applicable Viscosity, kinematic Viscosity, dynamic : No data available : Product is not explosive. Explosive properties

Oxidising properties : Oxidising solids Not applicable.

Explosive limits : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

acids.

ATE OLD (I)

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	833.333 mg/kg bodyweight
sodium carbonate (497-19-8)	
LD50 oral	4090 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2300 mg/m³

16/01/2018 GB - en 4/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

adipic acid (124-04-9)		
EC50 other aquatic organisms 1	85.7 mg/l	
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l	
sodium carbonate (497-19-8)		
LC50 fish 1	300 mg/l	
EC50 other aquatic organisms 1 265 mg/l		
EC50 other aquatic organisms 2 IC50 algea (72 h) mg/l		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

adipic acid (124-04-9)	
Log Pow	0.08
sodium carbonate (497-19-8)	
Log Pow -6.19	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

444	IIM number	

UN-No. (ADR) : 3077 UN-No. (IMDG) : 3077 UN-No. (IATA) : 3077 UN-No. (ADN) : 3077 UN-No. (RID) : 3077

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Trochlosene Sodium)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)

16/01/2018 GB - en 5/9

Safety Data Sheet

according to Regulation (EU) 2015/830

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

ENVIRONMENTALLY HAZARDOUS

Transport document description (RID) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III

16/01/2018 GB - en 6/9

Safety Data Sheet

according to Regulation (EU) 2015/830

: 111 Packing group (IATA) Packing group (ADN) : III Packing group (RID) : 111

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : M7

: 274, 335, 601, 375 Special provisions (ADR)

Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

: P002, IBC08, LP02, R001 Packing instructions (ADR)

Special packing provisions (ADR) : PP12, B3 : MP10 Mixed packing provisions (ADR) Portable tank and bulk container instructions : T1, BK1, BK2

(ADR)

: TP33

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages : V13

(ADR)

: VC1, VC2 Special provisions for carriage - Bulk (ADR) Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

: 90 Hazard identification number (Kemler No.)

Orange plates

90 3077

Tunnel restriction code (ADR) EAC code : 2Z

- Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1 : P002, LP02 Packing instructions (IMDG) : PP12 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW23

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y956 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 956 PCA max net quantity (IATA) : 400kg

16/01/2018 GB - en 7/9

Safety Data Sheet

according to Regulation (EU) 2015/830

CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T* B**
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2

(RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages : W13

(RID)

Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, : CW13, CW31

unloading and handling (RID)

Colis express (express parcels) (RID)

Hazard identification number (RID)

: CE11 : 90

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Changes from Previous version:

- UFI number added in section 1.1
- P-Statements added in Section 2.2

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

16/01/2018 GB - en 8/9

Safety Data Sheet

according to Regulation (EU) 2015/830

CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rai
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas

SDS EU (Reach Annex II) GREEN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

16/01/2018 GB - en 9/9