

Product Data Sheet for KLEENGUARD\* G20 Gloves - 25cm Ambidextrous / Atlantic Green

Product Information

<b>Customer Facing Code</b>	90090 - 90094
<b>Description</b>	KLEENGUARD* G20 Gloves - 25cm Ambidextrous / Atlantic Green
<b>PDS Reference</b>	31/01/2017
<b>Status</b>	On Sale



Packaging Configuration

<b>Case Contents</b>	10 Cartons x 225 Gloves = 2250 Gloves
<b>Outer Pack Material</b>	Paper
<b>Commodity Code</b>	40151900

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
90090-XS	10036000900900	036000900903	51.2 x 25.2 x 25	8.5/9.41	E5	1.20 x 0.80 x 1.40	6 x 5 =30	
90091-S	10036000900917	036000900910	59 x 26 x 25	8.5/9.41	E5	1.20 x 0.80 x 1.40	6 x 5 =30	
90092-M	10036000900924	036000900927	59 x 26 x 25	8.5/9.41	E5	1.20 x 0.80 x 1.40	6 x 5 =30	
90093-L	10036000900931	03600090093	51.2 x 25.2 x 25	8.5/9.41	E5	1.20 x 0.80 x 1.40	6 x 5 =30	
90094-XL	10036000900948	036000900941	51.2 x 25.2 x 25	7.65/8.56	E5	1.20 x 0.80 x 1.40	6 x 5 =30	

Product Description

A range of Gloves to protect hands against chemical or mechanical hazards, get the job done safely and help reduce cost.

Ideal for: providing PPE category 3 protection against chemical splash in painting, printing, agriculture, car assembly, emergency services, refuse collection and waste handling environments.

Available as: ultra-thin, 0.65 AQL, food contact approved, powder-free, latex-free ambidextrous gloves, with beaded cuff for added strength and textured fingertips for improved grip, in a wide size range - XS to XL providing a comfortable fit.

# Product Data Sheet for KLEENGUARD\* G20 Gloves - 25cm Ambidextrous / Atlantic Green

## Features and Benefits

Features	Benefits
<b>0.06mm thickness</b>	To provide exceptional touch sensitivity, although protecting against chemical splashes
<b>Ambidextrous</b>	Reduces time – improves efficiency Excellent “cost in use”
<b>AQL 0.65 for pinholes</b>	Guarantees quality of production process, waste reduction and better protection
<b>Beaded Cuff</b>	Added strength and ease of donning
<b>CE Marked – Category III PPE</b>	For increased protection against chemical splashes of several chemicals
<b>Independently accredited</b>	Suitable for Food Handling
<b>Latex Free</b>	Reduces potential for Type 1 glove – associated reactions, Eliminates the potential risk of Type I reactions
<b>Powder free</b>	To avoid skin allergies, Minimises drying effect of powder on skin
<b>Textured fingertips</b>	To help grip, Excellent tactile sensitivity

## Product Configuration

<b>Sterile</b>	No	<b>Latex Free</b>	Yes
<b>Main Protection Type</b>	Chemical	<b>Application</b>	Industrial
<b>Ambidextrous</b>	Yes	<b>Powdered</b>	No
<b>Material</b>	Nitrile	<b>Coated</b>	No
<b>Liner</b>	No	<b>Coating</b>	No
<b>Colour</b>	Atlantic Green	<b>AQL</b>	0.65
<b>Cuff Style</b>	Rolled Beaded	<b>Length</b>	240 mm
<b>Thickness</b>	0.6 mm		

# Product Data Sheet for KLEENGUARD\* G20 Gloves - 25cm Ambidextrous / Atlantic Green

## International Standards and Symbols

### Solution

#### Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



#### Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



### Standard R+E


#### EN 374-2: 2003 Low Chemical Protection

Low Chemical Protection - Complying to requirements in 5.2.1. and 5.3.2. of EN374-1:2003



#### Food Contact Regulations

This product is suitable for food contact and complies with Regulation (EC) No. 1935/2004. Furthermore, nitrile rubber gloves comply with Regulation (EC) No. 10/2011 and German Recommendation, BfR No. XXI, and paper products comply with German Recommendation, BfR No. XXXVI.



#### EN 374-2: 2003 Microorganisms Protection

This European Standard specifies test method for the penetration resistance of gloves that protect against chemicals and/or microorganisms.



#### CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



### Trade

#### ISO 9001

This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.



### Packaging

<b>Unit Of Sale</b>	Case	<b>Max Weight(kg)</b>	9.42
<b>Case Dimension(LXWXH)(cm)</b>	59 x 26 x 25	<b>Inner Pack Material</b>	Paper

# Product Data Sheet for KLEENGUARD\* G20 Gloves - 25cm Ambidextrous / Atlantic Green

## Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

<b>Infobox Details</b>	infofax@kcc.com	<b>Websites</b>	www.kcprofessional.co.uk
<b>Storage conditions</b>	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.	<b>Durability</b>	This product has a five years shelf life from the date of manufacture.
<b>Customer Service Number</b>	For more information please contact Customer Service during regular office hours-0870 551 044		
<b>Country of Origin</b>	MALAYSIA		